If this message does not disappear after a short time, the author either did not compile the LATEX file three times, or your PDF viewer does not support OCG. Use **Adobe Reader!**



ocetools ocetoois ocetoois Table of Contents

- 2. Options of the package rtools
- 3. A taste of mathematics
- 4. Few more tests

More preciselly, Adobe Rea of the page. Hence it is shifted a bit to fit the area on the

It is well known program. Yo can install it on both Linux a Windows.

This comment is in X vbox with specified width and may contain new paragraphs. It is rather long and placed on the top of the page. Hence fit the area on the screen. However, if the papersize is small (like for Beamer test files), the bottom part remains invisible for reader.

2-nd paragraph.3-rd paragraph.This is the last paragraph.







The file Normally the pages with active layers have a beamer an web and beamer demo files are compiled with ide this compiled v minimous By default, layers and buttons for hiding them are No messagae a by mouse turned into hidden when entering a page. This Wrapfic is a pay OCG's at the fir form of in option turns this behavior off. Demo files based on Tries to fix the problem with bitmap images and images and

cross below. Demo files based on pdfscreen are compiled with this option. Use this option to make the document accessible to Foxit Reader users.

anmf asdfh akdfjha adfjh akjdfh





4. Few more tests

ort

Package ocgtools.sty redefines output routine via atbegshi.sty package. From this reason it may be incompatible with some other packages dealing with output routine. However, the package eso-pic.sty works fine. Test for placing OCG's:

This is optional OCG. This is optional OCG.

This is optional OCG. * Ib

It This is optional OCG.

rt ace

Section 4: Few more tests 00880018 New page Cogtools New page. New^XSecond lir page^X ocgtools New page. Second line ocgtools

Section 4: Few more tests

00890018

Plain page.

Section 4: Few more tests

Last page. Last^xSecond lir page^xst page.