

The `latex-lab-title` package

Changes related to the tagging of the title

L^AT_EX Project*
v0.85c 2024-02-09

Abstract

1 Introduction

This module contains changes to improve the tagging (in the standard classes) of the title created with the `\maketitle` command. It also improves the setting of the metadata related to the title and the author.

For basic tagging of the printed title there are basically three things to do:

- The actual title should be tagged with the `Title` tag.
- The tabular used to format the author list should *not* be tagged as a tabular.
- `\maketitle` redefines footnote internals. These must be made tagging aware.

A second task related to title is to store the authors and the title text (or a shorter version) inside the XMP-metadata and (in PDF 1.7 or lower) in the Info dictionary. Currently this can only be set if hyperref is loaded and requires the use of the `pdftitle` and `pdfauthor` keys. The new code therefore extends the `\title` and `\author` commands: They stores their argument and use them at the end of the document for the PDF metadata if the data hasn't been given in another way. The code also gives `\title` and `\author` an optional argument where the PDF title or author can be given with in a key-value syntax. As with hyperref it is possible to store titles in more than one language:

```
\title
  [pdftitle =
    {[en]English Title,[de] Deutscher Titel,[fr]{titre français, avec comma}}]
  {Document title}
```

It is also possible to set a subtitle which is then stored in the XMP-metadata:

```
\title
  [pdfsubtitle =
    {[en]English Subtitle,[de] Deutscher Subtitel,[fr]{sous-titre français, avec comma}}
  {Document title}}
```

*Initial implementation done by Ulrike Fischer

If using the `pdfauthor` key authors should be separated by commas, and to hide commas in a name inside braces if needed:

```
\author[pdfauthor = {Bär, Peter Anteater, {Riley, the sloth}}]{\ldots}
```

If hyperref is loaded there is no difference to the `pdftitle` and `pdfauthor` key used in `\hypersetup`. Both can be used (and the last key used will win).

1.1 Open questions and TODOs

- Writing into the Info dictionary needs to convert the input into a PDF string. This is here done with a simple version of hyperref's `\pdfstringdef`, similar code exist also in in the generic hyperref driver. This should be moved into a better place module.
- Is it sensible to enhance `\author` and `\title` with an optional argument as done here? An advantage is that it is rather light-weight and doesn't require to decide how this values should be set in `\DocumentMetadata` (and would also work without `\DocumentMetadata`). But a problem could be that various classes and packages already extend this commands with other optional arguments.
- Some of the definitions related to metadata should perhaps be moved into `\pdfmeta`.
- Are the names `pdftitle` and `pdfauthor` ok?
- The patch for `\thanks` to get a rlap-footnotemarker looks wrong. This probably means that some configuration option is missing in the footnote code.

2 Implementation

```
1  <*package>
2  <@=tag>
3  \ProvidesExplPackage {latex-lab-testphase-title} {\ltlabtitledate} {\ltlabtitleversion}
4  {Changes related to the tagging of the title}
```

2.1 \maketitle in article class

```
5  \cs_new_protected:Npn \__tag_patch_thanks:n #1
6  {
7    \rlap{\footnotemark}
8    \protected@xdef\@thanks{\@thanks
9      \protect\footnotetext[\the\c@footnote]{#1}}
10 }
```

The no-titlepage version of article, report and book

```
11 \cs_new_protected:Npn \__tag_patch_maketitle:
12 {
13   \par
14   \begingroup
```

Disable table tagging

```
15 \cs_if_exist_use:N\__tag_tbl_disable:
16 \renewcommand\thefootnote{\fnsymbol{c@footnote}}%
```

the original definition redefines `\@makefnmark` and `\@makefntext` to get an rlap-mark in the text without affecting the mark in the note (which gives by the way a wrong link area with hyperref). There seem to be currently no good way in the footnote to configure this, so we redefine `\thanks` instead

```

17      \cs_set_eq:NN \thanks \__tag_patch_thanks:n
18      \if@twocolumn
19          \ifnum \col@number=\@ne
20              \@maketitle
21          \else
22              \twocolumn[\@maketitle]%
23          \fi
24      \else
25          \newpage
26          \global\@topnum\z@    % Prevents figures from going at top of page.
27          \@maketitle
28      \fi
29      \thispagestyle{plain}\@thanks
30  \endgroup
31  \setcounter{footnote}{0}%
32  \global\let\thanks\relax
33  \global\let\maketitle\relax
34  \global\let\@maketitle\relax
35  \global\let\@thanks\@empty
36  \global\let\@author\@empty
37  \global\let\@date\@empty
38  \global\let\@title\@empty
39  \global\let\title\relax
40  \global\let\author\relax
41  \global\let\date\relax
42  \global\let\and\relax
43  }

```

We must also change `\@maketitle` to insert a Title tag

```

44 \cs_new_protected:Npn \__tag_patch_@maketitle:
45 {
46     \newpage
47     \null
48     \vskip 2em%
49     \begin{center}%
50         \let \footnote \thanks

```

use `Title` around the title. As in PDF 1.7 this is rolemapped to `P` we change the text-unit tag there.

```

51  \pdf_version_compare:NnTF > {1.7}
52      {{\LARGE \tag_struct_begin:n{tag=Title}\@title \par\tag_struct_end:}}
53      {{\LARGE \tagtool{paratag=Title}\@title \par}}%
54  \vskip 1.5em%
55  {\large
56      \lineskip .5em%
57      \begin{tabular}[t]{c}%
58          \author
59          \end{tabular}\par}%
60  \vskip 1em%
61  {\large \@date}%
62  \end{center}%

```

```

63   \par
64   \vskip 1.5em
65 }
66
The titlepage variant
67 \cs_new_protected:Npn \__tag_patch_maketitle_page:
68 { \begin{titlepage}%
disable table tagging
69 \cs_if_exist_use:N \__tag_tbl_disable:
70 \let\footnotesize\small
71 \let\footnoterule\relax
72 \let \footnote \thanks
73 \null\vfil
74 \vskip 60\p@
use Title around the title. As in PDF 1.7 this is remapped to P we change the text-unit
tag there.
75 \begin{center}%
76 \pdf_version_compare:NnTF > {1.7}
77 { {\LARGE \tag_struct_begin:n{tag=Title}}\@title \par\tag_struct_end:}%
78 { {\LARGE \tagtool{paratag=Title}}\@title \par}%
79 \vskip 3em%
80 {\large
81 \lineskip .75em%
82 \begin{tabular}[t]{c}%
83 \author
84 \end{tabular}\par}%
85 \vskip 1.5em%
86 {\large \@date \par}%
87 \end{center}\par
88 \@thanks
89 \vfil\null
90 \end{titlepage}%
91 \setcounter{footnote}{0}%
92 \global\let\thanks\relax
93 \global\let\maketitle\relax
94 \global\let\@thanks\empty
95 \global\let\@author\empty
96 \global\let\@date\empty
97 \global\let\@title\empty
98 \global\let\title\relax
99 \global\let\author\relax
100 \global\let\date\relax
101 \global\let\and\relax
102 }
103
Map the new commands onto \maketitle:
104 \AddToHook{class/article/after}
105 {
106 \if@titlepage
107 \cs_set_eq:NN \maketitle \__tag_patch_maketitle_page:
108 \else
109 \cs_set_eq:NN \maketitle \__tag_patch_maketitle:
110 \cs_set_eq:NN \@maketitle \__tag_patch_@maketitle:

```

```

111     \fi
112 }
113 \AddToHook{class/report/after}
114 {
115     \if@titlepage
116         \cs_set_eq:NN \maketitle \__tag_patch_maketitle_page:
117     \else
118         \cs_set_eq:NN \maketitle \__tag_patch_maketitle:
119         \cs_set_eq:NN \@maketitle \__tag_patch_@maketitle:
120     \fi
121 }
122 \AddToHook{class/book/after}
123 {
124     \if@titlepage
125         \cs_set_eq:NN \maketitle \__tag_patch_maketitle_page:
126     \else
127         \cs_set_eq:NN \maketitle \__tag_patch_maketitle:
128         \cs_set_eq:NN \@maketitle \__tag_patch_@maketitle:
129     \fi
130 }

```

2.2 Helper commands to set metadata

Some temp variables

```

131 \str_new:N \g__tag_title_tmpa_str
132 \str_new:N \l__tag_title_tmpa_str
133 \tl_new:N \l__tag_title_tmpa_tl
134 \seq_new:N \l__tag_title_tmpa_seq

```

Support for \texorpdfstring

```
135 \providecommand\texorpdfstring[2]{#1}%
```

A helper command to convert the title into a pdfstring similar to \pdfstringdef. As we use \text_purify we must ensure that the default definitions of \@title and \@author are robust:

```

136 \protected\def\@title{\@latex@error{No \noexpand\title given}\@ehc}
137 \protected\def\@author{\@latex@warning@no@line{No \noexpand\author given}}

```

TODO: This should be improved and moved into the pdf module so that it is generally available.

```

138 \cs_new_protected:Npn \__tag_title_pdfstring:nnN #1 #2 #3 % #1 text, #2 e.g. utf16/hex
139 {
140     \group_begin:

```

TODO: we need probably a common boolean to handle \texorpdfstring also without hyperref.

```

141     \cs_set_eq:NN\texorpdfstring\use_ii:nn
142     \str_set:Ne \l__tag_title_tmpa_str {\text_purify:n { #1 } }
143     \pdf_string_from_unicode:nVN { #2 } \l__tag_title_tmpa_str \l__tag_title_tmpa_str
144     \str_gset_eq:NN \g__tag_title_tmpa_str\l__tag_title_tmpa_str
145     \group_end:
146     \str_set_eq:NN #3 \g__tag_title_tmpa_str
147 }
148 \cs_generate_variant:Nn\__tag_title_pdfstring:nnN {e}

```

2.3 Extend title to set metadata

At first a variable to store the title, as `\@title` is emptied by L^AT_EX.

```
149 \tl_new:N \g__tag_title_title_tl
```

Now we redefine `\title` so that it stores the title, and processes keys in the optional argument. We use `hyp` as module name for the key as this means that if `hyperref` is loaded its definition of `pdftitle` will be used – at some time probably this should be moved out of `hyperref` so that we have only one definition.

```
150 \RenewDocumentCommand\title{0{}m}
151 {
152     \gdef\@title{#2}
153     \tl_gset_eq:NN\g__tag_title_title_tl\@title
154     \keys_set:nn {hyp}{#1}
155 }
```

Now we define the `pdftitle` key. This is more or less the same definition as in the generic `hyperref` driver.

```
156 \regex_new:N\l__tag_title_optlang_regex
157 \regex_set:Nn\l__tag_title_optlang_regex {\A\[[([A-Za-z\-]+)\](.*)\}}
158 \cs_generate_variant:Nn \regex_extract_once:Nnn{NVN}
159 \cs_generate_variant:Nn \clist_item:nn {on}
```

and now the keys.

```
160 \keys_define:nn { hyp }
161 {
162     pdftitle .code:n =
163     {
164         \tl_if_blank:nTF {#1}
165         {
166             \pdfmanagement_remove:nn {Info}{Title}
167         }
168         {
169             \tl_set:Ne\l__tag_title_tmpa_tl {\clist_item:on{#1}{1}}
170             \regex_extract_once:NVN
171                 \l__tag_title_optlang_regex
172                 \l__tag_title_tmpa_tl
173                 \l__tag_title_tmpa_seq
174             \seq_if_empty:NTF\l__tag_title_tmpa_seq
175             {
176                 \__tag_title_pdfstring:nnN {#1}{utf16/hex}\l__tag_title_tmpa_str
177             }
178             {
179                 \__tag_title_pdfstring:enN
180                     {\seq_item:Nn \l__tag_title_tmpa_seq{3}}{utf16/hex}\l__tag_title_tmpa_str
181             }
182             \str_if_eq:Vnf\l__tag_title_tmpa_str{<FEFF>}
183             {
184                 \pdfmanagement_add:nne {Info}{Title}{\l__tag_title_tmpa_str}
185             }
186         }
187         \AddToDocumentProperties[hyperref]{pdftitle}{#1}
188     }
189     ,pdfsubtitle .code:n = { \AddToDocumentProperties[hyperref]{pdfsubtitle}{#1} }
190 }
```

2.4 Extend \author to set metadata

At first a variable to store the authors, as `\@author` is emptied by L^AT_EX.

```
191 \tl_new:N \g__tag_title_author_tl
```

Now we redefine `\author` so that it stores the authors, and processes keys in the optional argument. We use `hyp` as module name for the key as this means that if `hyperref` is loaded its definition of `pdfauthor` will be used – at some time probably this should be moved out of `hyperref` so that we have only one definition.

```
192 \RenewDocumentCommand\author{0{}m}
193 {
194     \gdef\@author{#2}
195     \tl_gset_eq:NN\g__tag_title_author_tl\@author
196     \keys_set:nn {hyp}{#1}
197 }
```

Now we define the `pdfauthor` key. This is more or less the same definition as in the generic `hyperref` driver.

```
198 \keys_define:nn { hyp }
199 {
200     pdfauthor .code:n =
201     {
202         \tl_if_blank:nTF {#1}
203         {
204             \pdfmanagement_remove:nn {Info}{Author}
205         }
206         {
207             \tl_set:Ne\l__tag_title_tmpa_tl {\clist_item:on{#1}{1}}
208             \regex_extract_once:NVN
209                 \l__tag_title_optlang_regex
210                 \l__tag_title_tmpa_tl
211                 \l__tag_title_tmpa_seq
212             \seq_if_empty:NTF\l__tag_title_tmpa_seq
213             {
214                 \__tag_title_pdfstring:nnN {#1}{utf16/hex}\l__tag_title_tmpa_str
215             }
216             {
217                 \__tag_title_pdfstring:enN
218                     {\seq_item:Nn \l__tag_title_tmpa_seq{3}}{utf16/hex}\l__tag_title_tmpa_str
219             }
220             \str_if_eq:VnF\l__tag_title_tmpa_str{<FEFF>}
221             {
222                 \pdfmanagement_add:nne {Info}{Author}{\l__tag_title_tmpa_str}
223             }
224         }
225         \AddToDocumentProperties[hyperref]{pdfauthor}{#1}
226     }
227 }
```

2.5 Fallback for classes and packages that redefine \title or \author

If a class redefines `\author` and `\title` again, we try to retrieve at least the values.

```

228 \AddToHook{cmd/maketitle/before}
229 {
230   \tl_gset_eq:NN \g__tag_title_author_tl\@author
231   \tl_gset_eq:NN \g__tag_title_title_tl\@title
232 }

```

2.6 Finalize document

At last we set the title and the author at the end of document if that hasn't happened yet:

```

233 \AddToHook{shipout/lastpage}
234 {
235   \tl_if_empty:eT{\GetDocumentProperties{hyperref/pdftitle}}
236   {
237     \group_begin:
238     \cs_set_eq:NN\thanks \use_none:n
239     \str_set:Ne \l__tag_title_tmpa_str {\text_purify:n { \g__tag_title_title_tl } }
240     \keys_set:ne[hyp]{pdftitle={\exp_not:V\l__tag_title_tmpa_str}}
241     \group_end:
242   }
243   \tl_if_empty:eT{\GetDocumentProperties{hyperref/pdfauthor}}
244   {
245     \group_begin:
246     \cs_set_eq:NN\thanks \use_none:n
247     \cs_set:Npn \and {,}
248     \str_set:Ne \l__tag_title_tmpa_str {\text_purify:n { \g__tag_title_author_tl } }
249     \keys_set:ne[hyp]{pdfauthor={\exp_not:V\l__tag_title_tmpa_str}}
250     \group_end:
251   }

```

force display title, if an UA-standard is detected.

```

252   \tl_if_empty:eF{\GetDocumentProperties{document/pdfstandard-UA}}
253   {
254     \pdfmanagement_add:nnn {Catalog / ViewerPreferences} { DisplayDocTitle } { true }
255   }
256 }
257 \DeclareHookRule{shipout/lastpage}{latex-lab-testphase-title}{before}{pdfmanagement-testphase}
258 </package>
259 <*latex-lab>
260 \ProvidesFile{title-latex-lab-testphase.ltx}
261   [\ltblabtitledate\space v\ltblabtitleversion\space
262    Changes related to the tagging of the title]
263
264 \RequirePackage{latex-lab-testphase-title}
265
266 </latex-lab>

```