

Crossrefware documentation

Boris Veytsman

August 21, 2015

Contents

1	Introduction	1
2	ltx2crossrefxml.pl	2
3	bibdoiadd.pl	4
4	bibzbladd.pl	6

1 Introduction

Crossrefware is a collection of Perl scripts used to help to submit the documents to <http://www.crossref.org>.

To use scrips you need a number of standard Perl libraries:

1. `Text::BibTeX` by Greg Ward,
2. `TeX::Encode` by Timothy D Brody

They are included in most standard Perl distributions, or can be installed from <http://www.cpan.org>.

I am grateful to Josko Plazonic from Princeton Math Dept whose (unpublished) Python script was an inspiration for this suite.

2 ltx2crossrefxml.pl

A tool for creation of XML files for submitting to crossref.

SYNOPSIS

ltx2crossrefxml [-c *config file*] [-o *output*] *latex file latex file ...*

OPTIONS

-c *config file*

Configuration file. If this file is absent, some defaults are used. See below for its format.

-o *output*

Output file. If this option is not used, the XML is output to stdout.

DESCRIPTION

The script takes a number of latex files and produces an XML file ready for submission to Crossref. Each file must be previously processed by LaTeX with the newest `resphilosophica` package: the package creates the file `.rti` with the information about the bibliography.

The processing of reference list is at present rather limited: only so called unstructured references are produced.

CONFIGURATION FILE FORMAT

The configuration file is mostly self-explanatory: it has comments (starting with #) and assignments in the form

```
$field = value ;
```

EXAMPLES

```
ltx2crossrefxml.pl ../paper1/paper1.tex ../paper2/paper2.tex -o result.xml
```

```
ltx2crossrefxml.pl -c myconfig.cnf paper.tex -o paper.xml
```

AUTHOR

Boris Veytsman

COPYRIGHT AND LICENSE

Copyright (C) 2012-2015 Boris Veytsman

This is free software. You may redistribute copies of it under the terms of the GNU General Public License <http://www.gnu.org/licenses/gpl.html>. There is NO WARRANTY, to the extent permitted by law.

3 bibdoiadd.pl

Add DOI numbers to papers in a given bib file

SYNOPSIS

`bibdoiadd [-c config_file] [-o output] bib_file`

OPTIONS

-c *config_file*

Configuration file. If this file is absent, some defaults are used. See below for its format.

-o *output*

Output file. If this option is not used, the name for the output file is formed by adding `_doi` to the input file

DESCRIPTION

The script reads a BibTeX file. It checks whether the entries have DOIs. If now, tries to contact <http://www.crossref.org> to get the corresponding DOI. The result is a BibTeX file with the fields `doi=...` added.

The name of the output file is either set by the **-o** option or is derived by adding the suffix `_doi` to the output file.

There are two options for making queries with Crossref: free account and paid membership. In the first case you still must register with Crossref and are limited to a small number of queries, see the agreement at http://www.crossref.org/01company/free_services_agreement.html. In the second case you have a username and password, and can use them for automatic queries. I am not sure whether the use of this script is allowed for the free account holders. Anyway if you try to add DOI to a large number of entries, you should register as a paid member.

CONFIGURATION FILE

The configuration file is mostly self-explanatory: it has comments (starting with `#`) and assignments in the form

```
$field = value ;
```

The important parameters are `$mode` ('free' or 'paid', `$email` (for free users) and `$username` & `$password` for paid members.

EXAMPLES

```
bibdoiadd -c bibdoiadd.cfg citations.bib > result.bib  
bibdoiadd -c bibdoiadd.cfg citations.bib -o result.bib
```

AUTHOR

Boris Veytsman

COPYRIGHT AND LICENSE

Copyright (C) 2014 Boris Veytsman

This is free software. You may redistribute copies of it under the terms of the GNU General Public License <http://www.gnu.org/licenses/gpl.html>. There is NO WARRANTY, to the extent permitted by law.

4 bibzbladd.pl

Add Zbl numbers to papers in a given bib file

SYNOPSIS

`bibzbladd [-o output] bib file`

OPTIONS

-o *output*

Output file. If this option is not used, the name for the output file is formed by adding `_zbl` to the input file

DESCRIPTION

The script reads a BibTeX file. It checks whether the entries have Zbls. If now, tries to contact internet to get the numbers. The result is a BibTeX file with the fields `zblnumber=...` added.

The name of the output file is either set by the **-o** option or is derived by adding the suffix `_zbl` to the output file.

AUTHOR

Boris Veytsman

COPYRIGHT AND LICENSE

Copyright (C) 2014 Boris Veytsman

This is free software. You may redistribute copies of it under the terms of the GNU General Public License <http://www.gnu.org/licenses/gpl.html>. There is NO WARRANTY, to the extent permitted by law.

Index

bibdoiadd.pl
AUTHOR, 5
CONFIGURATION FILE, 4
COPYRIGHT AND LICENSE, 5
DESCRIPTION, 4
EXAMPLES, 5
OPTIONS, 4
SYNOPSIS, 4
bibdoiadd.pl, 4
bibzbladd.pl
AUTHOR, 6
COPYRIGHT AND LICENSE, 6
DESCRIPTION, 6
OPTIONS, 6
SYNOPSIS, 6
bibzbladd.pl, 6
ltx2crossrefxml.pl
AUTHOR, 2
CONFIGURATION FILE FOR-
MAT, 2
COPYRIGHT AND LICENSE, 3
DESCRIPTION, 2
EXAMPLES, 2
OPTIONS, 2
SYNOPSIS, 2
ltx2crossrefxml.pl, 2